

MINISTRY OF OIL
MIDLAND REFINERIES CO. (G.CO.)
(DAURA REFINERY)

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1241/2017	FIRE & SAFETY EQUIPMENT	5 ITEMS	ONCE	7000 \$

1-The requisition to be sold in (250, 000) Iraqi dinars; un returnable or to transfer this amount to MRC Bank account number (90956)in Rafidan Bank head branch .

2-Technical and commercial offer should be opened at the same time, the representatives of the companies can be attend to our company (MRC) at 10 o'clock morning one day after the closing day stated below in item (28) .

3-Offered prices should be (CIP) Baghdad / Daura Refinery and preferred to be in us dollar. they will be final and nonnegotiable . (MRC) is not obliged to accept the lowest prices.

4-offeres (TECHNICAL & COMMERCIAL) to be submitted, separately in sealed envelopes, either directly at (MRC) reception bureau or sent by (DHL). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. offers sent by e- mail will be neglected.

5- The validity of the bid bond and the offer should be mentioned within both offers and should not be less than (120) days.

6- All pages of, both, the technical and commercial offers should be numbered in sequence, including the attachments and documents.

7-All documents (profile) (new establishment certificate stamped from the Iraqi embassy in your country financial statement accounts for the last two year (balance sheet) exemption letter issued from general commission for tax contain the taxes number and similar contracts achieved, issued by governmental agencies enclosed with the technical offer before purchasing the requisition.

8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS(LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM :((HUDA BANK , ALBILAD ISLAMIC BANK FOR INVESTMENT AND FINANCE , TRADE BANK OF IRAQ , KURDISTAN INTERNATIONAL BANK FOR INVESTMENT AND DEVELOPMENT , ERBIL BANK , CIHAN BANK FOR ISLAMIC INVESTMENT AND FINANCE , NATIONAL ISLAMIC BANK , MANSOUR BANK FOR INVESTMENT , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFORE), BANK OF BAGHDAD , GULF COMMERCIAL BANK, SUMER COMMERCIAL BANK , CREDIT BANK OF IRAQ , NATIONAL BANK OF IRAQ , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , IRAQI ISLAMIC BANK FOR INVESTMENT AND DEVELOPMENT , INTERNATIONAL DEVELOPMENT BANK INVESTMENT AND FINANCE , COMMERCIAL BANK OF IRAQ , BYBLOS BANK , IRAQ IMDLEST BANK OF INVESTMENT , BANKMED)) AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM ((ASIA BANK , DAR ESSALAAM INVESTMENT BANK , NORTH BANK FOR FINANCIAL AND INVESTMENT , DIJLAH AND FURAT BANK , WARKA BANK FOR INVESTMENT & FINANCE , THE BANK OF AND BASRAH INTERNATIONAL , UNITED BANK FOR INVESTMENT , ECONOMY FOR INVESTMENT AND FINANCE , UNION BANK OF IRAQ)) AND MUST THIS INSURANCE IS IN FORCE FOR AT LEAST FOR 120 DAYS

9- the delivery period (in days) should be, exactly specified.

10- Basic terms of payment is by irrevocable & unconfirmed letter of credit to be paid (100%) after the receipt of goods in baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon later and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee the prices of all offers are calculated according to the exchange rate of the central bank of iraq .at the date of opening the offers .for the purpose of preferability and by iraqi dinar only , for iraqi companies according to the exchange rate of the central bank of iraq at the date of preparing the contract,and the cost was stated in the contract.

11- Delay penalty to be applied with total amount, not exceeding (10%) of the total value of the contract .

12- An unconditional performance bond of (5%) of the total value of the contract to be submitted, from one of the participant in the company as a letter of guarantee (only) after the letter of award and before signing the contract according to instruction , from one of the banks mentioned in item (8) within (15) fifteen days from the date, the supplier is informed of the award. for any delay beyond the specified period, the award will be cancelled and the supplier will be considered as a shirker. the performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. this performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the contract otherwise, it will be confiscated.

- 13- (2.7%) of the total value of the contract to be deducted as taxes for iraqi companies. also, in case the payment is in iraqi dinar. for non-iraqi companies, the deducted amounts shall be transferred to the general commission of taxes within a period not exceeding (30) days from the date of completing the work and 3% for the contract contain onsite training , installation and operation not to pay the final payment to the second party and not to settle the final account unless after a written approval issued by the general commission for taxes, or deducting a percentage of 10% from it and sent it to the general commission for taxes before the release the final payment , whether the contract execution is in one payment or in multiple payments .
- 14- (0.003) off the total value of the contract to be deducted as stamp charges.
- 15- A sum of (205,000.00) id to be deducted as cost of import license.
- 16- Origin certificate should be approved by iraqi embassy/commercial attaché in the country of origin.
- 17- a sum os money in Iraqi dinar for chemical materials to be deducted as an environmental cost after issuing the contract & will be determined by ministry of environment .
- 18- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 19- The origin of the materials should be specified in the offer and fixed. and will not be changed for any reason state the method & the port of shipment & the entry point .
- 20- The supplier should state his full and fixed name and address (Country , City , Street, Building, Email ,Phone NO.)
- ALL offers and correspondences should be, clearly, signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- Third party inspection certificate should be provided from one of the following companies: [LLOYDS REGISTER – BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]
- 22- It is necessary to present authorization letter from the manufacturer companies certified from ministry of foreign affairs or embassy or consulate or the commercial attached in country of origin (for tenders of specific materials)
- 23- The awarded supplier will bear the advertising fees value (100 \$) .
- 24- Iraqi laws are applied : the tender and the contract shall be governed and construed according to the iraqi law. courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).
- 25- For chemical (Req) the sample should be submitted with the technical & commercial offers before or (during)the closing otherwise the offers will be neglected
- 26- The contracted company shall not deal with Israel in any way ; otherwise , it shall bear all the legal consequences .
- 27-The companies that need any additional information in order to participate in any tender should buy the tender document & attached with their letters before closing date & our company shall state a date of conference for answering all questions in time not less than (7 day) befor closing date
- 28- Closing date: 17 / 4 / 2017, till (1.00) o'clock (afternoon).**
- 29- All the procedure of the requirements governed by implementing Instructions of government contract No.2 for the Year 2014 , regulations and its amendments
- Note:** you can find the conditions of submitting offers on website: www.oil.gov.iq - www.mrc.oil.gov.iq

G. MANAGER

REQ.NO.:- 1241/2017

IT.	QTY	UNIT	VOCAB NO	DESCRIPTION
				FIRE & SAFTEY EQUIPMENT. FIRE FIGHTING EQUIPMENT.
				Adaptors made of gun metal as per type and sizes lased below
1.	20	Nos	160508/003.0	4"* 4"round thread swivel female BSRT adaptor <u>Origin</u> USA, South Korea, Canada, Italy, Australia, Germany, France, U.K., India.
2.	60	Nos	160508/012.0	2½" male instantaneous coupling (BS 336) to 2½" BSP female screw. <u>Origin</u> USA, South Korea, Canada, Italy, Australia, Germany, France, U.K., India.
				VALVE FOR FIRE FIGHTING VEHICLE.
3.	30	Nos	160511/026.0	VALAVE FOR FIRE FIGHTING VEHICLE 1- Ball valve type 2- Size 2½" 3- Made of brass or stainless steel 4- Inlet screw and outlet is female instantaneous coupling To BS.336 5- Provide with plug and chain <u>Origin</u> USA, South Korea, Canada, Italy, Australia, Germany, France, U.K., India.

IT.	QTY	UNIT	VOCAB NO	DESCRIPTION
				FOAM DECANTING PUMP.
4.	12	Nos	160513/010.0	<p>1- DC electric motor water proof 2- Immersion tube length 1200 mm long made of aluminium alloy or good quality plastic. 3- Delivery head 15m water. 4-The motor comes with over load cut- off and (ON – Off) switch. 5-Pump out put 80 L/Min or more. 6-The motor comes with (isolated handle , surface cooling , 15m cable). 7-Pump comes with light alloy coupling, and 1 inch non- collapsible delivery hose 10m length and coupling.</p> <p><u>Origin</u> USA, South Korea, Canada, Italy, Australia, Germany, France, U.K., India.</p>
				PROTECTIVE CLOTHING.
5.	60	NOS	161008/072.0	<p>FIRE PROTECTIVE ALUMINIZED SUIT</p> <p>1- This suit is intended for use in specialized fire – fighting operations which may include the activates of fire Suppression at incidents involving very high levels of radiant temperature more than 1200 C°</p> <p>2- The outer shell of suit reflects more than (90 %) of the heat is exposed to.</p> <p>3- The suit meet the EN ISO 116612 – 2008 requirements.</p> <p>4- The suit composed of four layers or more</p> <ul style="list-style-type: none"> - outer layer 100 % Para-aramid fibers (DOPONT) Kevlar) with double mirror aluminized, the fiber density 460 g/m² or more.

				<ul style="list-style-type: none"> - Heat barrier Consist of one layer or more made of Para – aramid with density 170 g/m² or more. - Inner lining Consist of two layer or more made of FR cotton with density ≥ 230 g/m² or DOPONT Nomex comfort with density ≥ 190 g/m² <p>5- The sewing thread 100 % Kevlar</p> <p>6- The suit is designed to accommodate the self-contained breathing apparatus (SCBA).</p> <p>7- The suit is composed as below parts</p> <p>8-1-Coat with integrated hood and trousers or overall with an attached hood.</p> <p>8-2- Pair of gloves 5-finger type, palm reinforced with Kevlar para- aramid fabric.</p> <p>8-3- Pair of shoes equipped with special – Coated fiber glass.</p> <p>8-4- Hood equipped with panoramic Safety gold coated reflective glass visor against radiant heat.</p> <p>8-5- Helmet made of fiberglass acc. to EN 443.</p> <p>8-6- The Suit is Supplied in special bag.</p> <p>8-7- Provide one extra Visor with suit.</p> <p>9- Sizing according to EN – 340</p> <ul style="list-style-type: none"> • 10% up to height 175 cm • 15 % Up to height 180 cm
--	--	--	--	---

				<ul style="list-style-type: none"> • 35 % up to height 185 cm • 40 % up to height 190 cm <p>10- Provide test Certificate as below</p> <ul style="list-style-type: none"> - Burning behavior ISO 15025 - Radiant heat ISO 6942 - Convective heat EN 367 - Contact heat EN 702 - Heat resistance ISO 17493 <p><u>Origin</u> Germany, U.K., France.</p>
--	--	--	--	---

- Certificate of origin
- Mill certificate
- Third party inspection certificate (certify that all the equipment have inspected and certify that all materials are new, unused and conforms to required specification, good off material, packing.

- 1-Lloyds Register
- 2-Bureau Veritas
- 3-Intertek Global
- 4-Tuv Rhenland
- 5-DNV

Delivery period (180) days